



DSA
INC.
SYSTEMS SECOND TO NONE

DSA, Inc. / P.O. Box 370, Barrington, IL 60011
Telephone: 847-277-7258 / Fax: 847-277-7259
www.dsarms.com / Email: customerservice@dsarms.com
All pricing, specifications and availability subject to change without notice.



SA58™ OSW

Shown with optional
Rail Interface Handguard,
Extreme Duty Scope Mount,
LOP Side Folding SOCOM Stock,
SAW Pistol Grip and EOTech Sight

The DSA Operational Specialist Weapon (OSW) has become the world standard for .30 caliber performance in a small package. In service with military and law enforcement units around the globe, the OSW provides battle proven performance on a modular platform that can be configured to meet any mission requirement. The OSW's compact size makes it the perfect choice for tactical units, urban operations, executive or convoy protection work. The SA58™ OSW provides a decisive edge when deploying from vehicles with the added benefit of .30 caliber superiority over 9mm SMG's and 5.56mm carbines. Operate with confidence; you will not be under equipped.



SA58™ OSW

OPERATIONAL SPECIALIST WEAPON

■ Standard Configuration

- .308 Win/7.62x51mm NATO / Semi-Auto Short Barreled Rifle or Select Fire / **All NFA rules apply**
- SA58™ Type I or II Receiver / Lightweight Aluminum Traditional Lower
- 11 inch/279 mm or 13 inch/330 mm Premium Barrel with A2 Flash Hider / Shortened Gas System
- Short Military Grade Handguard / Folding Para Stock / Standard Synthetic Pistol Grip
- Elevation Adjustable Protected Post Front Sight / Belgian Type Para Flip Rear Sight
- With 11 inch/279 mm Barrel: Overall length 32.5 inch/826 mm / Folded length 23.25 inch/591 mm / Weight 9 lbs/4.1 kg
- With 13 inch/330 mm Barrel: Overall length 34.5 inch/876 mm / Folded length 25.25 inch/641 mm / Weight 9.35 lbs/4.2 kg
- Sight radius 19 inch/483 mm / Length of pull 14.25 inch/362 mm
- Matte Black DuraCoat Finish / Detachable 20 round Mag / Adjustable Sling / Hard Gun Case / Manual / Limited Lifetime Warranty



Shown with optional
Rail Interface Handguard,
and Extreme Duty Scope Mount

SA58™ CTC

COMPACT TACTICAL CARBINE



Shown with optional Humpback Stock



Shown with optional Rail Interface Handguard, Extended Extreme Duty Scope Mount, FAB Weapon Light Holder, SureFire 6P LED, EOTech Sight and DuraCoat® OD MirageFlage finish.



Shown with optional Extreme Duty Scope Mount, Saw Pistol Grip, Humpback Stock and DuraCoat® Belgian Digital finish.



Shown with optional Extreme Duty Scope Mount, Saw Pistol Grip, Side Folding Adjustable SOCOM Stock and DuraCoat® ACU finish.

The SA58™ CTC is the ideal rifle for those who desire the advantages of a FAL type rifle in a smaller and lighter package, with no compromises in reliability or durability. Weighing in at an unloaded base weight of just over 8.25 pounds, the SA58™ CTC is well balanced and fast handling. The SA58™ CTC has an upgraded medium contour fluted barrel with a larger diameter under the handguard and no interruption for a sling swivel cut. The SA58™ CTC delivers legendary DSA performance in a size and weight envelope that few firearms can match. Modular accessories like scope mounts, rail handguards, and different stock options allow you to configure your SA58™ CTC for any scenario.



SA58™ CTC - COMPACT TACTICAL CARBINE

■ Standard Configuration

- .308 Win/7.62x51mm NATO / SA58™ Type I or II Receiver / Lightweight Aluminum Traditional Lower
- 16.25 inch/413 mm Fluted Medium Contour Barrel with A2 Flash Hider
- Shortened Gas System / Short Military Grade Handguard
- Folding Para Stock / Standard Synthetic Pistol Grip
- Elevation Adjustable Protected Post Front Sight / Windage Adjustable Match Rear Peep Sight
- Length 36.5 inch/927 mm / Weight 8.25 lbs/3.74 kg / Sight radius 19 inch/483 mm / Length of pull 14.25 inch/362 mm
- Matte Black DuraCoat Finish / Detachable 10 or 20 round Mag / Adjustable Sling / Hard Gun Case / Manual / Limited Lifetime Warranty



SA58™ SPR

7.62MM SNIPER RIFLE

The SA58™ Special Purpose Rifle was DSA's submission to the US Army's Semi Automatic Sniper System (SASS) Program. Out of over 40 industry submissions, the DSA SPR was one of the 5 finalists in the competition. The SPR is a highly customized version of the SA58™ rifle which has been configured to deliver the highest degree of accuracy achievable from the FAL type platform. The DSA SA58™ SPR rifle is ideal for those who want SA58™ reliability and performance in a longer range package. Suitable as either a primary precision weapon system or a spotter rifle, the SA58™ SPR is multi target and multi mission capable. On request, DSA can provide a complete SA58™ SPR rifle system with optics of your choice and deployment kit.



Shown with optional
Scope and Rings

SA58™ SPR

■ Standard Configuration

- .308 Win/7.62x51mm NATO / Type I Forged 4140 Steel Receiver
- 19 inch/483 mm Fully Fluted Premium Barrel / Match Grade Set Trigger or Speed Trigger
- Rail Interface Handguard / Extended Extreme Duty Scope Mount
- SPR Side Folding Adjustable Stock / SAW Pistol Grip
- BUIS, Rear Mono-Pod and GGG or Harris Bi-Pod included
- Weight with Suppressor, Optic and empty mag: 13.8 lbs/6.3 kg
- Matte Black DuraCoat Finish / Detachable 10 or 20 round Magazine
- Adjustable Sling / Hard Gun Case / Manual / Limited Lifetime Warranty



SA58™ DMR

DESIGNATED MARKSMAN RIFLE

DSA has had many requests to outfit the FAL rifle for the role of DMR or Designated Marksman Rifle. The platform was built to serve as an intermediary distance rifle or in the Spotter Rifle role. The rifle features a heavy barrel that has been fluted to save on weight and sustain barrel rigidity. The barrel also has a 1:10 twist ratio, this allows the operator to use a heavier grain bullet and achieve greater distance and accuracy. The DMR also comes with features that will aid in operator effectiveness.



Shown with optional
Scope and Rings

SA58™ DMR

■ Standard Configuration


- .308 Win/7.62x51mm NATO / Semi-auto or selective fire
- SA58™ Type I Receiver / Lightweight Aluminum A2 Hampton Lower
- 16.25 inch/413 mm Medium Weight Fluted Barrel
- Shortened gas system / VLTOR CAS-V Short Rail Handguard / Bipod
- Magpul PRS Fixed Buttstock / DSA Saw Pistol Grip / SA58™ Extended Extreme Duty Scope Mount
- Elevation Adjustable Protected Post Front Sight / Windage and Elevation Adjustable M16A2 Rear Sight
- Overall Length extended 39 inch/990 mm, closed 37.5 inch/940 mm / Weight 12.4 lbs/5.6 kg
- Length of pull extended 15.5 inch/394 mm, closed 14 inch/356 mm / Sight radius 19 inch/483 mm
- Matte Black DuraCoat Finish / Detachable 10 or 20 round Magazine
- Adjustable Sling / Hard Gun Case / Manual / Limited Lifetime Warranty



18 Inch SA58™ Carbine shown with optional Carry Handle

SA58™ ORIGINAL SERIES


Today, few things can be described as “better than the original”. After many years of development and production we are confident that our SA58™ rifles exceed the quality of any FAL type rifle ever produced. We specialize in manufacturing and modernization of Proven Legacy systems like the venerable FAL rifle. Classics still have their place, so with this in mind DSA created a line of SA58™ rifles that mirror the configurations of the rifles imported into the USA during the 60's, 70's and 80's which provide the look and feel of an original FAL rifle. Now it's possible to own a reasonably priced rifle that will look and feel like a classic, and perform better than an original.



16 Inch SA58™ Carbine



18 Inch SA58™ Carbine



16 Inch SA58™ Para



18 Inch SA58™ Para

SA58™ CARBINE / PARA CARBINE

■ Standard Configuration

- .308 Win/7.62x51mm NATO / SA58™ Type I or II Receiver
- Lightweight Aluminum Traditional Lower
- 16 inch/406 mm or 18 inch/457 mm Premium Bipod-cut Barrel with Belgian Short Flash Hider
- Injection Molded Fiberglass Reinforced Military Grade Handguard
- Standard Synthetic or X-Series Buttstock / Standard Synthetic Pistol Grip
- Elevation Adjustable Protected Post Front Sight / Windage Adjustable Rear Peep Sight
- Length 37.5 inch/953 mm / Weight 8.35 lbs/3.79 kg / Sight radius 22 inch/559 mm / Length of pull 14.25 inch/362 mm
- Matte Black DuraCoat Finish / Detachable 10 or 20 round Mag / Adjustable Sling / Hard Gun Case / Manual / Limited Lifetime Warranty



SA58™ VOYAGER

■ Standard Configuration

- .308 Win/7.62x51mm NATO / SA58™ Type I Receiver / Lightweight Aluminum Traditional Lower
- 21 inch/533 mm Premium Barrel, Belgian Short Flash Hider / Injection Molded Fiberglass Reinforced Military Grade Handguard
- Standard Synthetic Buttstock / Standard Synthetic Pistol Grip
- Elevation Adjustable Protected Post Front Sight / Holland Style Rear Sight
- Length 44 inch/1117 mm / Weight 9.75 lbs/4.4 kg
- Detachable 10 or 20 round Magazine / Adjustable Sling / Hard Gun Case / Manual / Limited Lifetime Warranty



SA58™ STANDARD

■ Standard Configuration

- .308 Win/7.62x51mm NATO / SA58™ Type I or II Receiver / Lightweight Aluminum Traditional Lower
- 21"/533 mm Premium Bipod-cut Barrel, Belgian Short Flash Hider / Injection Molded Fiberglass Reinforced Military Grade Handguard
- Standard Synthetic or X-Series Buttstock / Standard Synthetic Pistol Grip
- Elevation Adjustable Protected Post Front Sight / Windage Adjustable Rear Peep Sight
- Length 43 inch/1092 mm / Weight 8.75 lbs/3.97 kg / Sight radius 22 inch/559 mm / Length of pull 14.25 inch/362 mm
- Matte Black DuraCoat Finish / Detachable 10 or 20 round Mag / Adjustable Sling / Hard Gun Case / Manual / Limited Lifetime Warranty



SA58™ MEDIUM CONTOUR

■ Standard Configuration

- .308 Win/7.62x51mm NATO / SA58™ Type I or II Receiver / Lightweight Aluminum Traditional Lower
- 21 inch/533 mm Premium Medium Contour Barrel with Belgian Short Flash Hider
- Injection Molded Fiberglass Reinforced Military Grade Handguard
- Standard Synthetic or X-Series Buttstock / Standard Synthetic Pistol Grip
- Elevation Adjustable Protected Post Front Sight / Windage Adjustable Match Rear Peep Sight
- Length 43 inch/1092 mm / Weight 9.75 lbs/4.4 kg / Sight radius 22 inch/559 mm / Length of pull 14.25 inch/362 mm
- Matte Black DuraCoat Finish / Detachable 10 or 20 round Mag / Adjustable Sling / Hard Gun Case / Manual / Limited Lifetime Warranty



SA58™ TACTICAL PISTOL

SA58™ MICRO FAL

The SA58™ FAL Pistol, after years in the making it's finally here. The power of the 7.62x51mm cartridge in a package a little larger than a full size UZI. Despite it's size, the FAL Pistol comes with the standard features you would expect to see on a full size FAL, including an adjustable gas regulator, the break-open action, folding charging handle, and a Para style operating system, with low recoil for a .308 pistol.



Shown in optional
SBR configuration,
NFA rules apply.



SA58™ TACTICAL PISTOL

■ Standard Configuration

- .308 Win/7.62x51mm NATO / SA58™ Type I Receiver / Lightweight Aluminum Traditional Lower
- 8 inch/203 mm Barrel with A2 Flash Hider
- Synthetic Handguards or Free Float Tube / SAW Pistol Grip / SA58™ Extended Extreme Duty Scope Mount
- Elevation Adjustable Protected Post Front Sight / Windage Adjustable Rear Peep Sight
- Length 21 inch/533 mm / Weight 9.5 lbs/4.3 kg / Sight radius 16 inch/406 mm
- Matte Black DuraCoat Finish / Detachable 10 or 20 round Mag / Adjustable Sling / Hard Gun Case / Manual / Limited Lifetime Warranty




FAL LEGENDARY DURABILITY and RELIABILITY

- 7.62x51mm Gas Operated Semi-Automatic with Fully Adjustable Gas System
- Type I and Type II Forged 4140 Steel Receiver
- Last Shot Bolt Hold Open
- Accept 5, 10, 20, 25 or 30 Round Metric Pattern Magazines
- Limited Lifetime Warranty



■ BREAK-OPEN ACTION

The SA58's break-open action allows for easy, breach-first cleaning. Simply actuate lock lever, the rifle breaks open exposing the slide-breech block assembly. Pull the assembly to the rear and the rifle is ready for cleaning and inspection.



■ FULLY ADJUSTABLE GAS SYSTEM

Ensures reliable functioning in a wide range of conditions, with a variety of ammo, prevents fouling and reduces premature wear to moving parts.

■ DSA SA58 Ballistics Information / .308/7.62x51mm 147 Grain

- 21"/533 mm Barrel: 2800 fps 850 mps, 2560 ft-lbs 3470 joules
Effective range 800 yds 730 m, max range 1000 yds 910 m / Select Fire rate of fire 650-750 rpm
- 19"/483 mm Barrel: 2750 fps 830 mps, 2470 ft-lbs 3350 joules
Effective range 800 yds 730 m, max range 1000 yds 910 m / Select Fire rate of fire 650-750 rpm
- 18"/457 mm Barrel: 2650 fps 800 mps, 2300 ft-lbs 3110 joules
Effective range 750 yds 680 m, max range 900 yds 820 m / Select Fire rate of fire 650-750 rpm
- 16"/406 mm Barrel: 2550 fps 770 mps, 2120 ft-lbs 2780 joules
Effective range 700 yds 640 m, max range 850 yds 775 m / Select Fire rate of fire 650-750 rpm
- 13"/330 mm Barrel: 2450 fps 740 mps, 1960 ft-lbs 2660 joules
Effective range 600 yds 550 m, max range 750 yds 685 m / Select Fire rate of fire 650-750 rpm
- 11"/279 mm Barrel: 2400 fps 725 mps, 1880 ft-lbs 2550 joules
Effective range 550 yds 500 m, max range 775 yds 710 m / Select Fire rate of fire 650-750 rpm
- 8"/203 mm Barrel: 2000 fps 610 mps, 1300 ft-lbs 1770 joules
Effective range 275 yds 250 m, max range 350 yds 320 m / Select Fire rate of fire 650-750 rpm

Rhino Page



DSA is a world wide leader in the manufacture and modernization of Proven Small Arms Legacy systems like the classic R.P.D., that we also manufacture in a modern carbine form.

R.P.D. CARBINE

- Gas operated long stroke piston - 7.62x39mm, 6.5 Grendel, 6.8 SPC / **All NFA rules apply**
- **Available as semi-auto only OR full auto light machine gun** that fires from an open bolt
- Feed system – 100 round non-disengaging segmented belt
- Sights – open iron sight, or the ability to mount an optic with the carbine
- Comes with two drums and belts, sling and case
- Barrel length 17.5 inches / 445 mm
- Overall length, stock closed . . 36 inches / 910 mm • Stock extended . . 40.5 inches / 1029 mm
- Length of pull, stock closed . . 12 inches / 305 mm • Stock extended . . 15.5 inches / 394 mm
- Sight radius 17.5 inches / 445 mm
- Weight unloaded with magazine 13.6 pounds / 6.2 kg
- **RPD Carbine Ballistics Information / 7.62x39mm 123 Grain**
- 16"/406 mm Barrel: 2300 fps 695 mps, 1450 ft-lbs, 1960 joules
Effective range 500 yds 460 m, max range 700 yds 640 m / Select Fire rate of fire 500-600 rpm



R.P.D.

- Gas operated long stroke piston - 7.62x39mm, 6.5 Grendel, 6.8 SPC / **All NFA rules apply**
- **Available as semi-auto only OR full auto light machine gun** that fires from an open bolt
- Feed system – 100 round non-disengaging segmented belt
- Sights – open iron sight, or the ability to mount an optic with the carbine
- Comes with two drums and belts, sling and case
- Barrel length 20.5 inches / 520 mm
- Overall length. 42 inches / 1070 mm
- Length of pull 12.5 inches / 318 mm
- Sight radius 23 inches / 584 mm
- Weight unloaded with magazine 16.7 pounds / 7.6 kg
- **RPD Ballistics Information / 7.62x39mm 123 Grain**
- 21"/533 mm Barrel: 2400 fps 730 mps, 1575 ft-lbs, 2130 joules
Effective range 600 yds 550 m, max range 800 yds 730 m / Select Fire rate of fire 650-750 rpm



R.P.D. CARBINE

DSA's proprietary upgrades to the R.P.D. system allow you to outfit the R.P.D. with any M16 style adjustable stock, giving the end user greater versatility. DSA's new rail handguard allows the mounting of a variety of accessories, including optics, lasers, flashlights and foregrips. Compared to the old wooden handguards, a foregrip added to the rail handguard is extremely helpful in heat dispersion and improving overall effective operation. In addition, the DSA barrel is fluted and shortened. This reduces weight and helps keep the barrel cool. A very effective, proven design flash hider has also been added. The upgraded furniture, alloy trigger frame and shorter barrel make the Carbine six inches shorter and three pounds lighter than the Standard R.P.D.



Picatinny Mount M203 Grenade

M203 GRENADE LAUNCHER

The M203 system is a breech loaded 40mm rail mounted grenade launcher gun. The M203's lethality and broad versatility make it the prime choice for the U.S. military, Law Enforcement and Foreign Armed Forces as an essential weapon in both offensive and defensive operations.



Handguard
Mount
M203
Grenade
Launcher
shown on AR-15



M203 GRENADE LAUNCHER

■ Weight	3 pounds / 1.36 kg	■ Velocity	250 fps, 76 mps
■ Length	15 inches / 381 mm	■ Effective Range	160 yards / 150 m
■ Rate of Fire	5 - 7 rpm	■ Max Range	440 yards / 400 m

- 40mm M203 / M203A1 / M203A2 configurations, compatible with all standard 40mm projectiles
 - Picatinny Rail Mount Model: Includes Mounting Hardware and Leaf/Quadrant Sights
- Handguard Mount Model: Includes Handguards, Mounting Hardware and Leaf/Quadrant Sights
- **All NFA rules apply.** Government and NFA licensee's call for proper transfer procedures.



Z-IAR RIFLE

The DSA Z-IAR is a durable, reliable, accurate, ergonomic and lightweight solution for the shooter seeking a higher sustainment of fire. Based on our proven ZM-4 rifle, the Z-IAR incorporates a new patented design with features such as our Bufferloc and Keyloc technologies. A heat sink system attached to the barrel significantly reduces the risk of cook-offs during extended periods of firing while offering increased gas tube support, extended barrel life and shooter comfort.

Z-IAR RIFLE

■ Standard Configuration

- 5.56mm NATO Chamber
- Mil-Spec Forged 7075T6 Lower Receiver / Ambi Safety Switch
- Mil-Spec Forged Flattop Upper / Forged Steel Charging Handle
- 16 inch/406 mm 1:9 Twist Chrome Moly Fluted Barrel with A2 Flash Hider
- Vltor Rail Interface Handguard System with Customizable Rails at 3, 6, 9, 12 o'clock / Vltor Collapsible Stock
- Weight 8.4 lbs/3.8 kg / Detachable Magazine / Hard Gun Case / Manual

DSA ZM-4 5.56MM RIFLES

Why buy a ZM-4? ZM-4 rifles are bench made from the ground up by the most talented craftsman at DSA. When you buy any ZM-4, you are getting a custom made rifle, at a production rifle price. The components have been carefully selected to bring you a practical, reliable, accurate and lightweight rifle that is multi-mission capable. Even our most basic ZM-4 rifles are bench built and made to customer specification. Our ZM-4 shop can provide individual customers or agencies anything from a basic ZM-4, to a precision special purpose rifle. If you don't see it, just ask. We aim to please.



ZM-4 MRC MULTI ROLE CARBINE

The DSA ZM-4 MRC (Multi Role Carbine) was born from a need for a rifle that can and will stand up to what ever your needs or mission may be. Whether your target shooting at the range, running and gunning in a 3-gun competition or providing over watch for your team, the DSA ZM-4 MRC will fit your requirements.

ZM-4 MRC

■ Standard Configuration

- 5.56mm NATO Chamber
- Mil-Spec Forged 7075T6 Lower Receiver / Competition Trigger
- Mil-Spec Forged Flattop Upper / Forged Steel Charging Handle
- 16 inch/406 mm 1:8 Twist 4150 Chrome Moly Barrel or 18 inch/457 mm 1:9 Twist 416 Stainless Steel Barrel / A2 Flash Hider
- Diamondhead VRST 13.5 inch Rail Handguard / 6 Position B5 SOPMOD Stock / Hogue Pistol Grip
- Harris Bi-pod / Single Point End Plate / Magpul Front and Rear Flip Sights
- Weight 7.8 lbs/3.5 kg / Detachable Magazine / Hard Gun Case / Manual



ZM-4 STANDARD CARBINE

■ Standard Configuration

- 5.56mm NATO Chamber / Mil-Spec Forged 7075T6 Lower Receiver
- Mil-Spec Forged Flattop Upper / Forged Front Sight Base with Lug
- 16 inch/406 mm 1:9 Twist Chrome Moly or 1:7 Twist Chrome Lined D4 Barrel with A2 Flash Hider
- D4 Handguard with Heatshield / M4 Collapsible Stock
- Weight 6.25 lbs/2.8 kg / Detachable Magazine / Hard Gun Case / Manual

Shown with optional
Hogue Grip and
Magpul Trigger Guard



ZM-4 MKI CARBINE

■ Standard Configuration

- 5.56mm NATO Chamber / Mil-Spec Forged 7075T6 Lower Receiver
- Mil-Spec Forged Flattop Upper / Forged Front Sight Base with Lug
- 16 inch/406 mm 1:7 Twist Chrome Lined D4 Barrel with A2 Flash Hider
- 6061 Alloy Rail Handguard / Vertical Foregrip / A2 Style Removable Rear Sight / 6 Position B5 SOPMOD Stock
- Weight x.xx lbs/x.x kg / Detachable Magazine / Hard Gun Case / Manual



ZM-4 300BLK CARBINE

■ Standard Configuration

- 300BLK Chamber / Mil-Spec Forged 7075 Lower Receiver
- Mil-Spec Forged Flattop Upper / Forged Front Sight Base with Lug
- 16 inch/406 mm 4150 or 416 Stainless Steel 1:8 twist barrel / DSA 3 Prong Trident Flash Hider
- Carbine Gas System / D4 Handguard with Heatshield / M4 Collapsible Stock
- Weight 6.85 lbs/3.1 kg / Detachable Magazine / Hard Gun Case / Manual

■ DSA ZM-4 Rifles, Military Grade Parts and Materials

DSA ZM-4 rifles come with all of the features you have come to expect:

- 4150 chrome vanadium military grade steel barrel
- Chrome lined 5.56mm NATO chamber
- 1:7 twist chrome lined bore
- F-marked forged front sight tower
- Forged 7075T6 A3 M4 upper receiver
- Forged 7075T6 lower receiver
- 9310 bolt material; 7% stronger than Carpenter NO. 158™
- O-ring and enhanced extractor spring
- 8620 shot peened chrome lined carrier
- Properly staked chromed gas key with grade 8 screws
- Forged 7075T6 charging handle
- Mil-Spec diameter receiver extension
- 6 position M4 stock
- Hardened stainless steel gas tube
- LIFETIME WARRANTY

■ DSA ZM-4 Ballistics Information 5.56mm 62 Grain

■ 20 inch/508 mm Barrel:

3110 fps, 940 mps, 1330 ft-lbs, 1800 joules
Effective range 600 yds 550 m, max range 875 yds 800 m
Select Fire rate of fire 700-950 rpm

■ 16 inch/406 mm Barrel:

2950 fps, 890 mps, 1200 ft-lbs, 1620 joules
Effective range 575 yds 525 m, max range 700 yds 640 m
Select Fire rate of fire 700-950 rpm

■ 14.5 inch/368 mm Barrel:

2900 fps, 880 mps, 1160 ft-lbs, 1570 joules
Effective range 550 yds 500 m, max range 660 yds 6400 m
Select Fire rate of fire 700-950 rpm

■ 10.5 inch-11 inch/267-279mm Barrel:

2700 fps, 820 mps, 1000 ft-lbs, 1360 joules
Effective range 400 yds 365 m, max range 500 yds 460 m
Select Fire rate of fire 700-950 rpm



TRADITIONAL



A2 HAMPTON



PICATINNY

■ DSA SA58™ LOWER RECEIVERS

SA58™ rifles are now available in three lower receiver types, all are available configured for a fixed or side folding buttstock.

The SA58™ Traditional lower receiver comes with a windage adjustable rear peep sight.

The new SA58™ A2 Hampton lower receiver incorporates an integral M16A2 rear sight with windage and elevation adjustment knobs.

The new SA58™ Picatinny lower receiver has an integral Picatinny rail, and when used with DSA's new Picatinny Gas Block and auxiliary flip-up sights, will co-witness with an EOTech or Aimpoint.

■ SA58™ TRIGGER OPTIONS

Any SA58 trigger can be upgraded to the **Speed Trigger**, which reduces the military spec trigger pull to 4.5-5 lbs, or to the **Match Grade Set Trigger** which features a reduction button located at the upper front of the grip which allows the shooter to override the standard trigger pull and reduce the trigger pull to 2.5-3 lbs.



Reduction Button for Match Grade Set Trigger

DSA CUSTOM SHOP

DSA offers a wide range of custom configuration rifles, including different buttstocks, rail handguards, flash hiders as well as many different custom camouflage finishes in either DuraCoat or Cerakote finishes.

Contact us today to turn your dreams into a rifle!



■ SA58™ STOCKS

DSA SA58™ Rifles are available with the **Standard Synthetic** or **X-Series Style** fixed buttstock.

SA58™ Rifles are also available with the side-folding **Para Stock**, the **SPR Side Folding Adjustable Stock**, the **Magpul PRS Stock**, the **Magpul CTR Side Folding Adjustable Stock**, or the **LOP Side Folding Adjustable SOCOM Stock**.

The CTR and LOP stocks incorporate DSA's new side-folding **AR Stock Adapter**, which allows the use of most AR type collapsible stocks.




■ DSA RAIL INTERFACE HANDGUARD

SA58™ Rifles are available with DSA's **Rail Interface Handguard** for both short and full length gas systems. Combine with DSA's **SA58™ Extreme Duty Extended Scope Mount** for a full length continuous picatinny rail.

DuraCoat® Firearm Finishes

THE FINEST FIREARM FINISH ON THE PLANET!

Our SA58™ and ZM-4 rifles are available with high performance DuraCoat® solid or camo pattern firearm finishes. DuraCoat® is not only beautiful it has excellent hardness and adhesion properties and is resistant to impact, mar, abrasion, lubricants, cutting oils and bore solvents.



Parts Page

Check us out on:



DSA, Inc. / P.O. Box 370, Barrington, IL 60011

Telephone: 847-277-7258 / Fax: 847-277-7259

www.dsarms.com / Email: customerservice@dsarms.com

All pricing, specifications and availability subject to change without notice.